PREMIUM MASKING TAPE







APPLICATIONS

- · Car body repair
- Lacquering applications

FEATURES

- Semi Crepe paper for oven/dry bake painting cycles up to 100°C
- Easy removal at 10°C
- Conforms to contours, irregular shapes and surfaces
- Compatible with most common paints & lacquers

BENEFITS

- Resistant to high temperature
- No adhesive residue
- Good adhesion
- Removal without ripping



PREMIUM QUALITY

DIM (WxL)	PACK QTY	ART NO.
19mm x 50m	48	69957394601
25mm x 50m	36	69957394602
38mm x 50m	24	69957394603
50mm x 50m	24	69957394604

MEDIUM MASKING TAPE







APPLICATIONS

- Car body repair
- Painting and decorating

FEATURES

- Support oven/ dry cycles when temperature does not exceed 80°C
- Easy removal at 10°C
- Conforms to contours, irregular surfaces and shapes
- Compatible with most common paints & lacquers

BENEFITS

- Resistance to high temperature
- No adhesive residue
- Good adhesion
- Removal without ripping



MEDIUM QUALITY

DIM (WxL)	PACK QTY	ART NO.
19mm x 50m	48	69957394605
25mm x 50m	36	69957394609
38mm x 50m	24	69957394611
50mm x 50m	24	69957394614

GENERAL PURPOSE MASKING TAPE







APPLICATIONS

• Interior decoration

FEATURES

- Optimum product performance up to 60°C
- Compatible with most common paints

BENEFITS

- Ideal for paint masking
- Removal without ripping

GENERAL PURPOSE

DIM (WxL)	PACK QTY	ART NO.
19mm x 50m	48	69957394617*
25mm x 50m	36	69957394619
38mm x 50m	24	69957394623
50mm x 50m	24	69957394631

*Made to order

GOLD TAPE







APPLICATIONS

- Car body repair
- Architectural painting process

FEATURES

- Heat resistance (120°C/1hour)
- Conforms to most surfaces
- Excellent weather ability /1-2 months outside durability
- Conformable as Fine Line Masking

BENEFITS

- Resistant to high temperature
- High bond strength
- Good adhesion
- Excellent workability
- No adhesive residue after 1-2 months
- Excellent masking line sharpness









GOLD

DIM (WxL)	PACK QTY	ART NO.
19mm x 50m	24	66261067434
25mm x 50m	36	66254490982
38mm x 50m	12	66261067435
50mm x 50m	18	66254490986

FINE LINE TAPE

APPLICATIONS

• Delicate paint work

FEATURES

- Used where there are resistance flakes
- Conforms to contours, irregular shapes and surfaces
- Performs in temperatures of up to 150°C for approx 30 minutes
- Easy to use
- One thickness for all

BENEFITS

- Follows lines without wrinkling or tearing
- Leaves a sharp, clean separation line
- No adhesion residue
- Longer lasting
- Minimum build up
- Longer rolls compared to competitor products (55m)



FINE LINE

DIM (WxL)	PACK QTY	ART NO.
3mmx55m	10	66261194993
6mmx55m	10	66261194994
9mmx55m	10	66261194995
12mmx55m	10	66261194996
19mmx55m	10	66261196997

PREMIUM PERFORATED TRIM TAPE





APPLICATIONS

- Rubber trims during spraying
- Body side moulding during spraying

FEATURES

- Flexible, follows contours and curves
- Thicker plastic strip fitting all types of rubber trims
- Pre –perforated

BENEFITS

- High quality adhesive
- No adhesive residue
- No scissors needed
- Individually packed
- No paper lines to remove





PREMIUM PERFORATED

DIM (WxL)	PACK QTY	ART NO.
50mm x 10m	10	66261194743

FOAM TAPE PREMIUM

APPLICATIONS

- Car body repair, preparation before spraying
- All car door openings

FEATURES

- One continuous length
- Recessed adhesive
- For fixed or moving parts
- Semi-split design conforms easily to most apertures without rolling

PREMIUM

DIM (WxL)	PACK QTY	ART NO.
20mm x 50m	1	66254470746

BENEFITS

- Keeps paint away from edges
- No paint edge and no rubbing down
- Ensures a smooth paint edge
- Does not distort when torn



FOAM TAPE STANDARD





APPLICATIONS

- Car body repair, preparation before spraying
- All car door openings

FEATURES

 Recessed adhesive, no paint edge & no rubbing down

BENEFITS

 Quick and easy protection of painted edges



DIM (WxL)	PACK QTY	ART NO.
13mm x 50m	1	66254470735
19mm x 50m	1	66254470744

DOUBLE-SIDED FOAM TAPE





APPLICATIONS

· Car body repair

FEATURES

- High density foam coated with high strength acrylic
- Bonds medium to large mouldings and accessories

DOUBLE-SIDED FOAM

DIM (WxL)	PACK QTY	ART NO.
6mm x 18.3m x 1.1mm	12	63642505620
12mm x 18.3m x 1.1mm	12	63642505621
22mm x 18.3m x 1.1mm	12	63642505622

BENEFITS

- Instant pressure sensitive bonding
- Does not absorb moisture
- Superior adhesion to plastics, metal, glass and paint
- Remains flexible at low / high temperature
- Conforms to irregular surfaces



DOUBLE-SIDED TAPE





APPLICATIONS

 Polyester cloth for floor covering

FEATURES

• Fits all types of covering

DOUBLE-SIDED

DIM (WxL)	PACK QTY	ART NO.
50mm x 50m	24	69957394631

BENEFITS

- Conforms to most surfaces
- High tack




ALUMINIUM TAPE









APPLICATIONS

 Automotive, general industrial, general maintenance

FEATURES

• Aluminium

BENEFITS

- Protect sensitive surfaces against heat and infrared
- Ideal to reinforce surfaces before applications of structural adhesive
- Resistant to UV, weather and humidity

ALUMINIUM

DIM (WxL)	PACK QTY	ART NO.
50mm x 50m	24	07650717719

CLOTH TAPE

APPLICATIONS

• Multi-purpose industrial applications

FEATURES

- Very high adhesion
- Water and heat resistant
- Individually packed

CLOTH

DIM (WxL)	PACK QTY	ART NO.
50mm x 50m	24	07660717720

BENEFITS

- Excellent immediate adhesion
- Edge protection and wrapping







